LARSON CATALOGUE





Larson Door


Add a Larson Door to any model of Madero door system in 32", 34" or 36" by standard 6/8" height. Available as factory installed or as DIY for existing doors in your home. A Larson storm door improves energy efficiency of the entryway by up to 80%. Please contact your Madero dealer for custom sizes and additional products available.



TABLE OF CONTENTS

4	Platinum Collection	18	Single Vent
5 5 5 5	456FV FVE Fullview Retractable Screen 459FV FVE Interchangeable Full Glass 449-04 Secure Glass 450-18 Secure Screen	18 19	298-SS Life-Core® Composite Surface Single-Vent 278-SS Life-Core® Single Vent
		20	Reversa Screen
8 9 9 9	Full Glass Elegant Selection 149FV FVE Fullview Clear Glass 149PV Fullview Pet Door 149BV Fullview Arched Double Bevel	20 20 21	360-16 Classic View Reversa Screen Midview 360-18 Classic View Reversa Screen Highview 370-50 Life-Core® Reversa Screen
9	149EBV Fullview Elegant Bevel	22	Pet Friendly
10 10 11	Classic View 350-17 Classic View Fullview - Brushed Nickel 360-48 WearTuff® Full Screen	22 23 23	360-79 Classic View Pet Door 360-49 Pet Breeze 370-79 78 Life-Core® Pet Door Large & XLarge
		25	Guardsman Security Storm Doors
12 12 13 13 13 13	Retractable Screens Easy Vent® Selection 146FV FVE Fullview Easy Vent® 146HV Highview Easy Vent® 146PV Fullview Easy Vent® Pet Door 146MV Midview Easy Vent® 146BV Fullview Easy Vent® 146BV Fullview Easy Vent® Bevel	25 25 25 25 25 25	920-20 Courtyard Security Door 920-21 Garden View Security Door 920-24 Geneva Security Door 920-28 El Dorado Security Door 920-36 Soho Security Door
I		26	Outdoor Living
14	Lifestyle Screen Away®	26 27	7721 Brisa Single Door 7722 Brisa Double Door
14 14 14 15	830-80 Midview - Brass 830-82 Midview - Brushed Nickel 830-85 Midview - Aged Bronze 691-52 Highview - Keyed Brushed Nickel	28	Retractable Motorized Screens
15 15 16 16 17	691-55 Highview - Keyed Aged Bronze 691-90 Highview - Keyed Brass 356-52 Superior Fullview - Brushed Nickel 356-60 Superior Fullview - Brass 370-84 Lifestyle 2.0 Midview Screen Away®	30	Measuring Storm Doors

Open the full potential of your entry — season after season.



Platinum Collection

The Platinum Collection delivers a sleek, modern design with premium standard features; Multi-point locking system, hidden built-in closer with Click&Hold™ technology, and triple weatherstripping.



Dominator™ Glass

Dominator™ inner shield between two glass panels to help prevent break-ins. Includes Break-In Protection Warranty.



Dominator™ Screen

Dominator™ .032" stainless steel mesh is tested to withstand 1,000lbs of force to help prevent break-ins. Includes Break-In Protection Warranty.

Platinum Collection Available Models



Screen Away® disappears above the window for a clear view.



Includes screen for seasonal ventilation.



Dominator™ inner shield between two glass panels to help prevent break-ins. Includes Break-In Protection Warranty.



Dominator™ .032" stainless steel mesh is tested to withstand 1,000lbs of force to help prevent break-ins. Includes Break-In Protection Warranty.



Platinum Collection Build Your Door

Door widths: 32", 36"

Standard Door Height: Fits 80-81"

Frame Colours







White Linen

Pebblestone

Woodland





Graphite

Black

QuickFit™ Handlesets: Sold separately and required to operate the built-in deadbolt.







Upgrade to Low-E Glass

Select storm doors can be upgraded to Low-E glass. Factory-coated Low-E glass minimizes the amount of UV rays that pass through to help reduce fading. Plus, Low-E delivers exceptional energy efficiency and can increase the insulating value of an entry by 24% compared to clear glass

The Low-E Advantage



Helps keep rooms cooler in the summer by reflecting the sun's heat.



Helps keep rooms warmer in the winter by minimizing heat loss.



Look for this icon on models that offer Low-E glass options.

Platinum Collection Features




Platinum Security
Additional security with multipoint locking system. QuickFit™
handleset sold separately.



Platinum Hidden Closer Hidden built-in closer with Click&Hold™ technology to hold the door open.



Platinum Triple Seal
Triple weatherstrip to help
protect your home and entry
door from harsh weather.



Platinum Pre-Hung Door Pre-assembled for easy surface mount installation. Select L (left-hinge) or R (right-hinge) as viewed from outside.



The Fast Install
Pre-assembled for easy surface
mount installation. Just place
on the opening and secure
with pre-attached screws.



Lifetime Limited Warranty



Aluminum Frame

Constructed with heavy-duty, low-maintenance aluminum and surrounded by a dual or heavy-duty weatherstrip for exceptional weather resistance.



Composite Surface

High-performance composite surface over solid wood core and durable weatherstrip deliver weather-resistant protection that lasts.







Full Glass Elegant Selection

Our best and most beautiful full glass doors offer the widest selection of colour options to give your home a personalized look.



81" Height 30", 32", 34", 36"



149PV **Fullview Pet Door**

81" Height 32", 36"



149**BV Fullview Arched Double Bevel**

> 81" Height 32", 36"



149EBV Fullview Elegant Bevel

81" Height







Handles sold separately



Ventilation Window and screen interchange for seasonal venting



Convenience Two closers with holdopen button keeps the door open.



Finish Installation screw covers conceal exterior screws.










Durability Premium frame construction with 1-5/8" thick aluminum.



Protection Overlapping frame and two closers provide tight seal.



Universal Hinge For right or left mount.






350-17 Classic View Fullview

- Aluminum 1-1/4" full glass door provides low-maintenance weather resistance.
- · Heavy-duty weatherstrip.
- Interchangeable fullview glass and screen opens your home to the best of each season.
- · Colour-matched adjustable closer.
- ${f \cdot}$ Bottom expander adjusts to uneven sills
- Universal hinge for right or left mount.







Colours

81" Height 32", 36"



Screens

SUNTEX 80















360-48 WearTuff® Full Screen

- Kid- and pet-friendly WearTuff® screen reinforced in frame; upgrade screen options available.
- Low-maintenance 1-1/4" rigid aluminum frame.
- Mounting rail with side weatherstrip to keep out pests.
- Colour-matched lever handle and inside lock.
- · Colour-matched adjustable-speed closer.
- · Bottom expander fits tight to bottom sill.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty





Retractable Screen Away® Storm Doors

Larson's Retractable Screen Away® designs convert your storm door to a screen door instantly and discreetly rolls up and hides when not in use.

146FV | FVE Fullview Easy Vent®

81" Height 30", 32", 34", 36"



81" Height 32", 34", 36"



146PV Fullview Easy Vent® **Pet Door**

81" Height 32", 36"



146MV **Midview** Easy Vent®


81" Height 32", 34", 36"



146BV Fullview Easy Vent® Bevel

81" Height 36"





Handles sold separately





Ventilation Convenient retractable screen provides anytime venting.



Convenience Two closers with holdopen button keeps the door open.



Finish Installation screw covers conceal exterior screws.

Door Colours










Durability Premium frame construction with 1-7/8" thick aluminum.



Protection Overlapping frame and two closers provide tight seal.



Universal Hinge For right or left mount.





830 Lifestyle Screen Away® Midview

- Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series)
- DuraTech surface over solid wood core for age and weather resistance.
- Screen Away retractable screen disappears in top cassette for a clear view.
- Two adjustable-speed closers in matching colours
- Bottom expander adjusts to uneven sills.
- · Universal hinge for right or left mount
- 10-Year Limited Warranty









691 Lifestyle Screen Away® Highview

- Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series)
- DuraTech surface over solid wood core for age and weather resistance.
- Screen Away retractable screen disappears in top cassette for a clear view.
- Two adjustable-speed closers in matching colours
- · Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount
- 10-Year Limited Warranty










356 Lifestyle Screen Away® Superior Fullview

- 1-3/8" thick aluminum frame
- · Heavy-duty weatherstrip
- Designer screw covers conceal exterior mounting screws.
- Screen Away retractable screen disappears in top cassette for a clear view
- Decorative exterior lever with keyed lock; colour matched interior handle
- One colour-matched adjustable-speed closer
- Bottom expander adjusts to uneven sills
- Universal hinge for right or left mount
- Limited Lifetime Warranty










NEW! Available in Q3

370-84 Lifestyle 2.0 Midview Screen Away®

- DuraTech surface over solid wood core for age and weather resistance
- Heavy-duty weatherstrip
- Screen Away retractable screen disappears in top cassette for a clear view
- Colour-matched lever handle and inside lock
- One colour-matched adjustable-speed closer
- · Bottom expander adjusts to uneven sills
- Universal hinge for right and left mount
- 10-year Limited Warranty







VentingStorm Doors

Let in the breeze when you want, and the way you want, with these ventilating doors!

Storm doors at a great value. Choose from all-metal frame construction or a tough, weather resistant DuraTech surface. ReversaScreen provides for top or bottom venting.



Colours



/hite Brown

81" Height 30", 32", 33", 34", 36"


NEW

298-SS Life-Core® Composite Surface Single-Vent

(replacing 288-SS)

- I" thick solid core design
- Maintenance-free composite finish provides weather resistance
- Traditional half-screen adjusts for bottom ventilation
- · One adjustable-speed closer
- · Bottom expander adjusts for uneven sills
- Universal hinge for right or left mount
- · Stylish handle complements door colour
- 10 Year Limited Warranty







278-SS Life-Core® Single-Vent

- DuraTech surface over solid wood core for age and weather resistance
- Heavy-duty weatherstrip
- · Single-vent glass and half screen for bottom ventilation
- Colour-matched lever handle and inside lock
- · Bottom expander adjusts to uneven sills
- Universal hinge for right and left mount
- 10-year Limited Warranty









Colours




81" Height 32", 33", 34", 36"

360-18 Highview

360-16 Midview

360-16 Classic View Reversa Screen

- 1-1/4" thick maintenance free all-metal frame.
- Rigid steel kickpanel stands up to abuse.
- Reversa Screen for top or bottom ventilation.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Colour matched lever handle & inside lock.
- One colour matched closer.





Colours



White F

81" Height 32", 34", 36"

370-50 Life-Core® Reversa Screen

- Wood core with DuraTech finish.
- WearTuff™ screen is 3x stronger and tear resistant.
- Allows top or bottom ventilation.
- High traffic 5 hinge system provides extra durability.
- FlexGuard closer protects the door when overextended and allows door to open past 90 degrees.
- · Handles included, colour matched to door.







Pet Storm Doors

Let your pet in and keep unwanted critters out with our built-in pet door. These half screen doors combine function and style, letting the light in while letting your pet in and out.



Colours



White 81" Hei

81" Height 32", 34", 36"

360-79 Classic-View Pet Door

- All-metal frame is 1-1/4" thick and maintenance free.
- Fullview design bottom glass allows your pet to see outside.
- Tear resistant WearTuff® Screen is 3x stronger than regular screens.
- Reversa Screen for top or bottom ventilation.
- · White lever handle and interior lock.
- Universal hinge for right or left mount.
- · Bottom expander adjusts for uneven sills.
- Includes slide-in pet cover for added security when not in use.
- · Limited Lifetime Warranty





360-49 Pet Breeze



Colours



81" Height

- 1-1/4" low-maintenance, all-metal frame.
- Tear resistant PetScreen Screen is built to hold up to daily life with your pet.
- Pet door fits pets up to 100lbs.
- · Colour-matched lever handle and inside lock.
- · Colour-matched adjustable-speed closer.
- · Bottom expander adjusts to uneven sills.
- · Universal hinge for right or left mount.
- · Includes slide-in pet cover for added security when not in use.
- · Limited Lifetime Warranty



370-79 | 78 Pet Door





81" Height

- · DuraTech surface over solid wood.
- 370-79 fits pets up to 100lbs. 10" x 17" large opening.
- 370-78 fits pets up to 220lbs. 14" x 25" xlarge opening.
- · Heavy-duty weatherstrip.
- Single-vent screen for bottom ventilation.
- · Colour-matched adjustable-speed closer.
- · Matching interior and exterior Secure Lock handles with built-in inside lock.
- · Universal hinge for right or left mount.
- · Includes slide-in pet cover for added security when not in use.
- 10-Year Limited Warranty.










Guardsman Security Storm Doors

The Guardsman Collection offers a complete line of steel security doors engineered to protect what matters most without sacrificing style and ease of use.


The welded tubular steel frame and three-piece tempered safety glass system provide superior strength, and the anti-removal vault pin and heavy-duty hinges add reinforced protection. Interchangeable insect screens are sold separately for seasonal venting.




COURTYARD 920-20 81" Height 32", 34", 36"




920-21
81" Height
32", 34", 36"



GENEVA 920-2481" Height
32", 36"



920-28 81" Height 32", 36"



920-36 81" Height 32", 36"

Colours





White

Black



Durable Frame Welded tubular steel frame for superior strength.



Safety & Security Anti-removal vault pin for reinforced protection.



Reinforced Hinges Heavy-duty 7" hinges for a secure mount.




Too Many Keys?

Provide your own hardware so you can open your entry and security doors with the same key.

Select standard entry door hardware with a 2-3/8" backset and 2-1/8" hole diameter.

Lock Box Location



Standard

Hardware location for Guardsman doors are figured from the top of the opening down to the center of the lever/knob which is mounted in the top hole of the lock box. Based on a standard 81" door, this measurement is 38".

Custom:

When ordering, indicated the distance from the top of there door opening to the center of the lock box. Allowable location is center of the door based on the centered ordered opening height + or - 12".

Example: Opening Height: 83" Center of Door: 41-1/2"

Maximum Height: 53-1/2" (41-1/2" + 12" = 53-1/2") Minimum Height: 53-1/2" (41-1/2" - 12" = 29-1/2")



Brisa Retractable Screen Doors

Brisa Retractable Screen Doors offer a new approach to maximizing fresh air. The full screen retracts when not in use. Brisa features a simple and quick 30-minute install.



7721 Single Door

- Cassette on the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- · Subtle strips to prevent walk through.
- · Quick snap track requires no cutting.
- Handle comes with latch lock to secure the door in place.
- · Sizes: 32" to 36" Width x 80" Height
- · Limited lifetime warranty.
- 30 minute installation.





Colours










81" - 81" Height 32" to 36"


7722 Double Door

- Cassette pm the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- Subtle strips to prevent walk through.
- Quick snap track requires no cutting.
- · Handle comes with latch lock to secure the door in
- Sizes: 68" to 72" Width x 78", 80", 96" Height Limited lifetime warranty.
- 30 minute installation.



Enjoy the view in comfort.

Enjoy the outdoors in comfort with the Larson Retractable Motorized Screen. Protect against insects, debris, sun, heat and wind with a selection of five purpose-built screens that fully retract for an unobstructed view. Your screen is custom-made to fit your opening and is preassembled for easy recessed or surface-mount installation.




Aluminum Frame Colours





Measuring Storm Doors




Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height	
30" x 81"	29-7/8" to 30-3/8"	- 80" to 81"	
32" x 81"	31-7/8" to 32-3/8"		
34" x 81"	33-7/8" to 34-3/8"		
30" x 81"	35-7/8" to 36-3/8"		

Size availability varies by model. CUSTOM SIZES available in select models.

Mounting Guide

Storm Doors (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.








Surface Mount (Platinum Collection Only)

- Rails mount directly to the face of the exterior brickmould.
- Requires a 3/4" wide mounting surface.








Recess Mount

- Rails mount inside the opening.
- Requires a 1" wide by 1" wide deep mounting surface





Make Your Grand Entrance

Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Doors



Artisan Doors



Interior Doors



Multi-Family



Garden Patio



Commercial

Contact us at:

